



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/746,500

12/22/2000

Yuergen Boehmke

00348

9783

45695

7590

10/10/2006

WITHERS & KEYS FOR BELL SOUTH

P. O. BOX 71355

MARIETTA, GA 30007-1355

EXAMINER

IQBAL, KHAWAR

ART UNIT

PAPER NUMBER

2617

DATE MAILED: 10/10/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 10-16, 27, 39 and 41 are rejected under 35 U.S.C. 102(e) as being anticipated by Nolting (7027574).

3. Regarding claim 10 Nolting et al teaches a method for communicating all telecommunication call records generated over a period of time associated with a telecommunication system, the call records being transmitted from a remote telecommunication device, comprising (figs. 1-7):

receiving all telecommunication call records from a plurality of remote telecommunication devices at a plurality of switches in communication with a switch master (col. 5, lines 1-20, col. 12, line 22-60, fig. 1),

transmitting all dial digits from the plurality of switches to the switch master (col. 5, lines 1-20, col. 12, line 22-60, fig. 1), wherein the switch master is in communication with a computing system (col. 5, lines 1-20, col. 12, line 22-60, fig. 1);

transmitting all telecommunication call records from the switch master to a the computing system (col. 5, lines 1-20, col. 12, line 22-60, fig. 1);

storing all telecommunication call records in a database in communication with the computing system (col. 5, lines 1-20, col. 12, line 22-60, figs. 1.7);

storing at least one of the telecommunication call records in a table within the database, wherein the table relates to how recently the telecommunication call records were transmitted from the remote telecommunication device (col. 5, lines 1-20, col. 12, line 22-60, fig. 1); and

searching the database for one or more telecommunication records associated with a telecommunication system (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claim 11 Nolting et al teaches wherein receiving the one or more call records comprises receiving the one or more call records from a telecommunication switch (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claim 12 Nolting et al teaches wherein transmitting comprises transmitting the one or more call records from the telecommunication switch to the computing system (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claim 13 Nolting et al teaches real time communication (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claim 14 Nolting et al teaches wherein receiving the one or more call records includes receiving the one or more call records from a wireless device (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claim 15 Nolting et al teaches further comprising analyzing the one or more call records received from the telecommunication switch (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claim 16 Nolting et al teaches wherein analyzing the one or more call records comprises parsing the one or more call records (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claim 27 Nolting et al teaches a computer implemented method for managing all call records received over a period of time associated with a telecommunication system in real time relative to the termination of the telecommunications transactions, the call records being transmitted from a remote telecommunication device, comprising (figs. 1-7):

receiving all digits received over a period of time from a plurality of remote telecommunication devices at a plurality of corresponding switches in communication with a switch master substantially instantaneously after termination of at least one telecommunications transactions (col. 5, lines 1-20, col. 12, line 22-60, fig. 1);

transmitting all the dial digits received over a period of time from the plurality of switches to the switch master in real time relative to the termination of the telecommunications transactions, wherein the switch master is in communication with at least a billing system and a computer system (col. 5, lines 1-20, col. 12, line 22-60, fig. 1);

receiving all the telephone call records from the switch master in real time relative to the termination of the telecommunications transactions into the computing system (col. 5, lines 1-20, col. 12, line 22-60, fig. 1);

inputting into the computing system an identifier and generating a report based on the identifier in real time relative to the termination of a telecommunications transaction (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claim 28 Nolting et al teaches receiving the one or more telecommunication call records at a telecommunication switch, routing the one or more telecommunication call records to one or more computers in communication with the computing system; and storing the one or more telecommunication call records in a storage device in communication with the computing system (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claim 29 Nolting et al teaches downloading one or more sets of computer instructions to the computing system from a server in communication therewith (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claim 30 Nolting et al teaches wherein receiving the telecommunication call records further comprises receiving telecommunication call records including records selected from the group consisting of an originating telephone number, a telephone number dialed by a subscriber, a voice channel seizure time, a voice channel seizure date, a duration time of a telephone call and a cell location of a telephone call (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claims 31 Nolting et al teaches wherein generating a report further comprises generating a report based on an identifier selected from the group consisting of a telecommunication device number, a telecommunication device identification

Art Unit: 2617

number and one or more digits dialed by the telecommunication device (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claim 32 Nolting et al teaches a computer readable medium having a set of computer instructions encoded thereon, comprising (figs. 1-7):

the set of computer instructions being operative with a computer adapted for communicating with a telecommunication system in real time and adapted for communicating with a storage device, the set of computer instructions cause the computer to (col. 5, lines 1-20, col. 12, line 22-60, fig. 1);

receive all telecommunication call records generated over a period of time from a plurality of telecommunication switches by a switch master in communication with the telecommunication switch substantially instantaneously after termination of at least one telecommunications transaction (col. 5, lines 1-20, col. 12, line 22-60, fig. 1);

receive all the telecommunication call records from the switch master by the computer in communication therewith in real time relative to the termination of the telecommunications transactions (col. 5, lines 1-20, col. 12, line 22-60, fig. 1);

store all the telecommunication call records in a storage device (col. 5, lines 1-20, col. 12, line 22-60, fig. 1);

generate one or more reports based on predetermined criteria in real time relative to the termination of the telecommunications transactions (col. 5, lines 1-20, col. 12, line 22-60, fig. 1);

store at least one of the telecommunication call records in a table within the storage device, wherein the table relates to how recently the telecommunication call record was received (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claim 33 Nolting et al teaches a system for managing all telephone call records in, comprising (figs. 1-7):

a plurality of telecommunication switches (col. 5, lines 1-20, col. 12, line 22-60, fig. 1);

a switch master in communication with at least a billing system, a computer system and the plurality of telecommunication switches in real time (col. 5, lines 1-20, col. 12, line 22-60, fig. 1):

a computing system including one or more computers having one or more processors in communication with the switch master, the computing system including (col. 5, lines 1-20, col. 12, line 22-60, fig. 1);

one or more storage devices in communication therewith (col. 5, lines 1-20, col. 12, line 22-60, fig. 1);

a memory coupled to the one or more processors, one or more storage devices in communication thereto (col. 5, lines 1-20, col. 12, line 22-60, fig. 1); and one or more sets of computer instructions configured to be executed by the computing system, the one or more sets of computer instructions being operative with the computing system to perform acts selected from the group consisting of setting one or more storage tables to a known state, checking the status of the one or more sets of executing computer instructions, providing a summary of the telecommunication call

Art Unit: 2617

records, providing an output report based on a telecommunication device number (col. 5, lines 1-20, col. 12, line 22-60, fig. 1), providing an output report based on a telecommunication device identification number, and providing an output report based on a number of digits dialed by the telecommunication device (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claim 34 Nolting et al teaches further comprising a server coupled to the computing system (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claim 35 Nolting et al teaches wherein the computing system provides the telecommunication call records to the server (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claim 36 Nolting et al teaches wherein the computing system further comprises a plurality of computers interconnected in a network (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claim 37 Nolting et al teaches a system for managing all telephone call records in, comprising (figs. 1-7):

a plurality of telecommunication switches (col. 5, lines 1-20, col. 12, line 22-60, fig. 1);

a switch master in communication with at least a billing system, a computer system and the plurality of telecommunication switches in real time (col. 5, lines 1-20, col. 12, line 22-60, fig. 1):

a computing system including one or more computers having one or more processors in communication with the switch master, the computing system including (col. 5, lines

Art Unit: 2617

1-20, col. 12, line 22-60, fig. 1); one or more storage devices in communication therewith; a memory coupled to the one or more processors (col. 5, lines 1-20, col. 12, line 22-60, fig. 1); one or more storage devices in communication thereto', and one or more sets of computer instructions configured to be executed by the computing system, the one or more sets of computer instructions being operative with the computing system to perform acts selected from the group consisting of setting one or more storage tables to a known state, checking the status of the one or more sets of executing computer instructions (col. 5, lines 1-20, col. 12, line 22-60, fig. 1), providing a real-time summary of the telecommunication call records, providing an output report based on a telecommunication device number, providing an output report based on a telecommunication device identification number, and providing an output report based on a number of digits dialed by the telecommunication device (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claim 38 Nolting et al teaches further comprising computer server means in communication with the computing system means (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claim 39 Nolting et al teaches further comprising switch master means in communication with the telecommunication switching means and the computing system means (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Regarding claim 41 Nolting et al teaches a computer readable medium having a set of computer instructions encoded thereon, comprising:

a set of computer instructions being operative with a computer adapted for communicating in real time relative to the termination of the telecommunications transactions with a telecommunication network and adapted for communicating in real time with a storage device, the set of computer instructions cause the computer to (col. 5, lines 1-20, col. 12, line 22-60, fig. 1): establish a communication link operating in real time relative to the termination of the telecommunications transactions between the computing system and the telecommunication system; receive all the telecommunication call records generated over a period of time from a switch master wherein the switch master is in communication with a plurality of switches, and wherein the switch master receives all of the telephone call records generated from the plurality of switches; store all of the telephone call records in the storage device (col. 5, lines 1-20, col. 12, line 22-60, fig. 1); store at least one of the telecommunication call records in a table within the storage device, wherein the table relates to how recently the telecommunication call records were received (col. 5, lines 1-20, col. 12, line 22-60, fig. 1); and search the storage device for one or more telecommunication call records in real time relative to the termination of the telecommunications transactions (col. 5, lines 1-20, col. 12, line 22-60, fig. 1).

Response to Arguments

4. Applicant's arguments with respect to claims 10-16,27,39 and 40 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khawar Iqbal whose telephone number is 571-272-7909.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph H. Feild can be reached on (571) 272-4090. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist/customer service whose telephone number is (571) 272-2600.

Khawar Iqbal


ERIKA A. GARY
PRIMARY EXAMINER